

**From:** Gerald Heston/R3/USEPA/US  
**Sent:** 12/29/2011 2:16:43 PM  
**To:** Dennis Carney  
**CC:**  
**Subject:** Fw: Dimock

Just saw this from Rich. Don't know if you're aware.  
Gerald T. Heston, Chief  
Eastern Response Branch (3HS31)  
U. S. Environmental Protection Agency - Region 3  
1650 Arch Street  
Philadelphia, PA 19103  
Phone: 215-814-3273  
Fax: 215-814-3254

**From:** Richard Fetzer  
**Sent:** 12/29/2011 11:21 AM EST  
**To:** heston.gerald@epa.gov  
**Subject:** Dimock

Jerry,

Here's what I just got from Karen Johnson today.

Based upon my review of this data, I conclude that this represents an indication of a potential threat to public health (as defined by the NCP) and I am compelled to contact the residents to determine their drinking water status and take any action necessary to protect their public health (i.e. sampling and/or provision of alternate water). In particular there are 5 residents [Ex. 6 - Personal Privacy] who exceed arsenic risk numbers. One resident is 5 times the risk number of 4.5 ug/l. There are no numbers reported in the pre-drilling data, so we don't know whether arsenic was an analyte or not. I am asking to contact these 5 residents immediately.

We are continuing to review existing data received and tabulating the information to identify potential residents whom need to be contacted. (Ann is working on this today). This could result in the need to contact additional residents. I raise this issue, since to date, we have not been given permission to contact residents directly. However, these are questions that are on the approved Qs & As (from my understanding).

I am available should you need any additional information (either written or verbal)

Rich

Richard M. Fetzer  
Federal On-Scene Coordinator  
100 Gypsum Road  
Stroudsburg, PA 18360  
(215) 341-6307

- Dimock pre and post drill data2.xlsx